



Gimbal Adapter for Vista & Galaxy Arm Vest (FLCM-GA)



All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

■ What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



Flycam Arm & Vest Gimbal Adapter



19mm to 16mm Bush

■ Arm & Vest Gimbal Adapter Setup

- Loosen the quick release knob to detach it from the gimbal adapter.



- Mount the gimbal stabilizer (Not Included) on the quick-release plate.


Note: Any gimbal with 1/4"-20 or 3/8"-16 thread can be mounted on the gimbal adapter.



- Slide the quick-release plate back into the gimbal adapter and tighten it firmly using the provided knob.



- The gimbal is now securely attached to the gimbal adapter.



- With the gimbal now mounted on the adapter, attach the entire assembly to the arm (Not Include).
- Your Arm & Vest Gimbal Adapter setup is now ready for use.



**YOUR FLYCAM GIMBAL ADAPTER FOR VISTA & GALAXY ARM VEST
ALL DRESSED UP AND READY TO GO!**



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.