


PROAIM

Framax Scrim Jim Frame (4' x 6') (SJ-FRMX-03)




All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



4pc x (46") Frame Tubes



2pc (22") Frame Tubes



4 x 2D Corner Connectors



2 x Straight Connectors

Framax Scrim Jim Frame (4' x 6') Setup

- Connect the straight connector to the 22" tube by aligning and securing it with the push/pin button.
- Next, attach the 46" tube to the other end of the straight connector using the push/pin button, as shown in the image.



- The tubes are now securely connected to the straight connector.



- Slide the 2D corner connector into the frame tube as demonstrated in the image.




- Align the corner and tube, then press the push/pin button to lock them firmly.

Note: The self-locking 2D connectors automatically secure the joints, keeping the frame stable throughout your shot while allowing easy removal.




- Using the push/pin buttons, connect all four tubes at their corners effortlessly to complete your frame setup.





Build Full-Length or Shortened Frame

4x 46" Tubes, 2x 22" Tubes, Spacers & Connectors



Quick Reverse Ear & Grip Head Assembly (Not Included)

- Loosen the Quick Reverse Ear knob, then securely attach the Quick Reverse Ear to the tube.

Feature: Designed for 1" squared frame tubes, the Quick Reverse Ear is a versatile and sturdy way to hold or hang overhead/butterfly frames or other heavy frames.

- Tighten the knob to firmly secure the Quick Reverse Ear in place.

Feature: Its quick-release clamp design ensures fast setup, letting you lock down your frame in seconds.

- Loosen the grip head knob and attach the grip head to the Quick Reverse Ear.


Feature: The T-slot design ensures a snug fit between the ear and grip head, preventing accidental detachment.

- Tighten the grip head knob to secure the connection.
- Loosen the second knob on the grip head.

- Mount the assembly onto the C-stand, (Not Included) then tighten the knob to secure it properly.

- The setup is now fully assembled.

Feature: This easy-to-assemble system is ideal for creating flat 2D frames or dynamic 3D light shaping tools, providing a secure setup that's quick to break down and reconfigure.



Fabrics Instantly Attach to Frames

Velcro / Hook & Loop Edging



Mount to Stands or Other Accessories

Built-in 3/8"-16 Mount



YOUR PROAIM FRAMAX SCRIM JIM FRAME (4' X 6')
ALL DRESSED UP AND READY TO GO!



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.