

Assembly Manual



**What's In The Box**

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.

			
Sun Shade	Monitor Cage	Neck Strap	Velcro Strap
			
2 x Offset brackets	(4pcs) 3 x 8 mm Philips screw	4 x Teradek XT/LT	(6pcs) 1/4 X 9.5 mm LN Screws
			
(4pcs) 3/8 x 16 mm LCD mount screws	(4pcs) 4x12 mm LN Bolts	(6pcs) 3 x12mm pan Philips screws	(6pcs) 1/4 X12.5 mm BH screws
			
(2pcs) 1/4 x 14 mm LCD Mount Screws	(12pcs) 6x 4 mm Grub screws	(4pcs) 3 x 6 mm LN Screws	6 x Washers
			
			3/16, 4mm, 3mm, 2.5mm, 2mm Allen keys

All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

## Director's Cage Setup

### Handle Adjustment

- Loosen the Handle's knob and move the Handle to the front.




- Now, securely re-tighten the knob.
- Follow the same process for the second Handle.





### Main Bracket Adjustment


- Loosen both the screws of the main bracket using the 3mm Allen Key.




- Adjust the position of the Main bracket by moving it upwards or downwards.



- Re-tighten both the screws using a 3mm Allen key.



## Main Bracket Height Adjustment



## Screen Mounting

- Mount the Screen **(Not Included)** on the Director's Monitor Cage.
- Now, insert the (1/4 x 9.5mm) LN screw.



- Now, securely tighten the LN Screw using the 4mm Allen key.



## Offset Bracket Mounting

- Attach the Offset Bracket to the Main Bracket.
- Now, insert the (1/4 X 12.5 mm) BH screws.



- Tighten the screws using the 3mm Allen Key.



- Repeat the same steps to attach the bottom Offset Bracket.



## Neck Strap Mounting

- Attach the Neck strap to the Side Bracket.

**Feature:** The included neck strap helps keep you fatigue-free while walking or running with the cage.



## Battery Mounting

- Attach the V-Mount Battery (Not Included) to the Director's Monitor Cage.

**Feature:** The back mounting plate features a V-Mount Battery Plate. The battery bracket can be quickly removed when both swing clamps are loosened.



- Push the top button of the battery plate and remove the V-mount Battery.



- The monitor cage can be easily held in your hands.

**Feature:** The tool-less design of the handles allows for easy folding, making packing and transportation a breeze.

- By loosening the knob, you're free to sway in and orientate the handles as per your requirement.



## C-Stand Setup

- Loosen the bottom knob of the Director's Monitor cage.



- Mount the Director's Monitor Cage on the Stand (Not Included).



- Re-tighten the bottom knob of the Director's Monitor cage to secure it.



**Feature:** The cage's design allows you to mount it on any C-stand or Tripod, giving you the freedom to choose your setup and empower your creative process.



## Sun Shade Mounting

- Detach the Velcro of the Sun Shade.



- Insert the Sunshade into the provided space to attach to the monitor cage.



- Now, Re-attach the Velcro.



**Feature:** The included sun shade with a Velcro bottom not only adapts to most monitors and snaps directly to the cage frame, but it can also be repurposed to act as a protective cover when packing the camera cage. This feature ensures your equipment is safe from scratches.



## YOUR PROAIM UNIVERSAL MONITOR DIRECTOR CAGE ALL DRESSED UP AND READY TO GO!



(SHOWN WITH OPTIONAL ACCESSORIES)

**Warranty:** We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

**Liability:** We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

**Contact Us:** In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.